



NOTES:

- 1. USE INSTRUCTION SHEET IN91100 FOR ATTACHING DAK TO PXI CARD.
- 2. RECEIVER/ITA MODULE TO BE KEYED ON LEFT SIDE.
- 3. MATING ITA MODULE P/N 561413.
- 4. SUPPLIED WITH MOUNTING HARDWARE.
- 5. SEE SHEET 3 FOR WIRE LIST.

| 561084WL | | | | | |
|------------|--------------|------------|--------------|------------|--------------|
| MAC 96 PIN | 68 PIN VHDCI | MAC 96 PIN | 68 PIN VHDCI | MAC 96 PIN | 68 PIN VHDCI |
| CONNECTOR | CONNECTOR | CONNECTOR | CONNECTOR | CONNECTOR | CONNECTOR |
| A2 | 2 | B1 | 35 | C1 | 1 |
| A4 | 3 | B2 | 4 | C2 | 36 |
| A5 | 38 | B4 | 5 | C4 | 37 |
| A6 | 39 | B5 | 40 | C5 | 6 |
| A8 | 8 | В6 | 41 | C6 | 7 |
| A9 | 9 | B8 | 10 | C8 | 42 |
| A10 | 44 | В9 | 11 | C9 | 43 |
| A12 | 45 | B10 | 46 | C10 | 12 |
| A13 | 14 | B12 | 47 | C12 | 13 |
| A14 | 15 | B13 | 16 | C13 | 48 |
| A16 | 50 | B14 | 17 | C14 | 49 |
| A17 | 51 | B16 | 52 | C16 | 18 |
| A18 | 20 | B17 | 53 | C17 | 19 |
| A20 | 21 | B18 | 22 | C18 | 54 |
| A21 | 56 | B20 | 23 | C20 | 55 |
| A22 | 57 | B21 | 58 | C21 | 24 |
| A24 | 26 | B22 | 59 | C22 | 25 |
| A25 | 27 | B24 | 28 | C24 | 60 |
| A26 | 62 | B25 | 29 | C25 | 61 |
| A28 | 63 | B26 | 64 | C26 | 30 |
| A29 | 65 | B28 | 31 | C28 | 32 |
| A30 | 34 | B29 | 66 | C29 | 33 |
| | | B30 | 67 | C30 | 68 |

MAC PANEL PROPRIETARY 14/06/2007 WKM MAC PANEL COMPANY - HIGH POINT, NC This document may contain confidential and proprietary ENGINEERING information that is the property of MAC Panel Company that may not be disclosed to, or duplicated for others OPERATIONS except as authorized by MAC Panel Company C.BOGGS TOLERANCES (UNLESS OTHERWISE SPECIFIED) **BALLOON LEGEND** MANUFACTURING DAK ASSY, SCOUT, PXI-6221 R.SPIVEY ASSEMBLY SHEET METAL MACHINED Third Angle Projection ANGLES ± 1' ANGLES ± 1' PART NUMBER .XX ± .03 .XXX ± .010 MATERIAL USED QTY 561084-cu SCALE 1/1 SPN: SIMILAR P/N REMOVE ALL BURRS AND BREAK SHARP EDGES. SHEET 3 OF 3